

KE-6711

V1.0

[illegible]

33

1

.....1

1.21

2 KE-6711

2.12

2.23

2.34

3

3.14

3.26

3.

1

1.1

KE-6711

1.2

1

2

3

4

2 KE-6711

2.1

KE-6711

12


220V

10A 12

30A



2.1 KE-6711 12



2.2 KE-6711 12

2.2

1.0

2.3

AC220V $\pm$ 10% 50Hz

AC220V $\pm$ 10% 50Hz

10A

30A

-25 +55

-25 +55

5% 95%

IP54


1.5kg

3

3.1

“ ”

“ ”



“ ”

72

→ →

“ ”

3.2

3.2.1

“ ”

1

2

120

3

120

4

	LED	5	XXX
XX.X		X.XX	XXX
X.XX		X.XX	

3.2.2

3.2.3

1		APP
2		APPAPP
3		
4		“ ”
5		

3.3

3.3.1 LED

1		3V

2		1	2	A
3		2	1	kW
4		min		
5		2	1	kWh
6		2	1	

3.3.2 LED


LED

- 1 E01
- 2 E02
- 3 E03
- 4 E04
- 5 E05
- 6 E06
- 7 E07
- 8 E08

“

13 E13

14 E1- t



4.2 12

1) 12

80cm

Φ10

Φ6


Φ10

450*200*450

* *

M10*80

75*35mm



L N

L N

L N

L


N

PE

L

N

PE



2)



1 ()

1

2

()

3

1

4

1) ()

2)

3)

4)

5)

/

6)

7)

8)

9)

10)

5 , ()

6 ,

7 ,

050222

0311-85231078

400-0311-128 0311-69099681